



Following radiotherapy to the vagina, cervix or pelvis, a woman may experience some internal scarring (adhesions) to the treated area, which can make the vagina narrower, drier and less elastic. Preventing the formation of scar tissue within the vagina helps ensure that it remains supple so that sexual intercourse and vaginal examinations can be performed without discomfort or pain.

Effective home treatment

Amielle Care vaginal dilators offer an effective way to prevent potential post radiotherapy issues in the privacy and comfort of your home. Used for 5 – 10 minutes, 3 – 4 times a week indefinitely or as recommended by your doctor, the treatment is simple and safe.

Self treatment at a pace that suits you.

Four graduated sizes allow you to progress in your treatment at your own pace. A smooth surface and a handle make insertion and removal easier.



Designed to help you build your confidence.

Developed in conjunction with The UK National Forum of Gynaecological Oncology Nurses, Amielle Care helps you to build your confidence. Sexual intercourse can also help prevent the formation of scar tissue, but it is not an alternative to using your vaginal dilators. It is important to preserve the intimacy of sexual intercourse.



“ Cancer survivorship (life after cancer treatment) is paramount to care. Amielle Care provides a sensitive product to support women following pelvic radiotherapy to gently revisit their intimate anatomy with confidence to rebuild their sense of femininity. ”

Gynaecology Cancer Specialist Nurse

OUR ACCREDITATIONS INCLUDE:

- t ISO13485 Certification
- t Medical Device Directive 93/42/EEC
- t CMDCAS 13485 (Canadian Health Authority)
- t Environmental Management Systems ISO14001

